

# Top Running Trolley

## 50 TON CAPACITY

### PRODUCT INFORMATION

DWG. NO:


## NOR50m18

DATE: 08/09/2016

REVISION: 1

TYPE: 18

### 4 PART DOUBLE REEVING



WIRE ROPE  $\phi 3/4"$  6 x 36 IWRC EEIP

ACECO RESERVES THE RIGHT TO MAKE CHANGES WITHOUT NOTICE.

### HOIST TECHNICAL DATA

CAPACITY	50 Tons (100,000 lbs.)	TROLLEY SPEED	MOTOR DATA	Optional: Hoisting Speed, Trolley Speed, Lift, Power Supply, etc.; consult factory. DRUM DIA. 16" WHEEL DIA. 10"
CLASS	CMAA CLASS "D"	60 F.P.M.	4 HP / 1800 RPM	
POWER SUPPLY	460V-3PH-60HZ	70 F.P.M.	4 HP / 1800 RPM	
		90 F.P.M.	5 HP / 1800 RPM	

### DIMENSIONAL INFORMATION

G	LIFT	WEIGHT	HOIST	HOIST	CLASS "D"	"A"	
(GAGE)	FEET	LBS.	SIZE	MOTOR	SWIFT LIFT		
				HP/RPM	FPM		
4' - 0"	17	9,714	4	30 / 1200	8	16	1'-11 5/16"
5' - 0"	25	9,914	5	30 / 1800	8	12	1'-11 5/16"
6' - 0"	33	10,114	6	40 / 1200	11	22	1'-11 5/16"
7' - 0"	40	10,314	7	40 / 1800	11	16	1'-11 5/16"
8' - 0"	48	10,514	8	50 / 1200	13	26	1'-11 5/16"
9' - 0"	55	10,714	9	50 / 1800	13	20	1'-11 5/16"
10' - 0"	63	10,914	10				